

FEATURE PLANK SPECIFICATION SHEET

Moda Altro Collection Engineered T&G plank by Forté. 15mm thick, 220mm wide, 2190mm length. Direct stick installation method onto substrate. Feature grade, prefinished with NatureMatte Lacquer

PRODUCT DETAILS

Moda Altro Collection **Product Type Engineered Plank**

Stocked **Availability Total Thickness** 15mm Width 220mm 2190mm Lenath % of Shorts **Up to 17%**

Wear Layer 4mm Solid European Oak

Core Hevea and Pine Spruce Veneer **Backing Layer** Construction 3-layer Engineered

Re-sands Up to 2 (approx. 1mm removed per

re-sand)

Surface Texture Brushed

Surface Sheen Extra Matte (4-6%) Bevel Micro bevel 4 sides

Status Pre-finished

(no additional coats required)

NatureMatte Lacquer (7 coats) **Species** European Oak

Wood Grade Feature (refer page 2 for details)

Filler Colour

Finish

The Moda Altro Collection is also available in: Light feature plank, herringbone pattern and stair nosing

STRUCTURAL WARRANTY

For terms and conditions see 5 Year Commercial 25 Year Residential www.forte.co.nz/warranties

SUSTAINABILITY

PEFC® Certified



Mondello



Capri Feature



Amalfi





Sorrento Feature



Verona



Tuscany



Como



Isola



Dolcedo

INSTALLATION

Installation Method Glue down

(Double Stick for Multi-level)

Plywood, Particle Board, Concrete, **Suitable Substrates**

existing timber - enquire for others

Joint Profile Tongue and Groove (4 sides) Flooring, Walls, Ceilings

Suitable Applications

Suitable Uses Residential homes, hospitality, retail

stores, restaurants, apartments

· Hydronic Systems **Underfloor Heating**

> · Electric Systems set in screed (ensure screed suitable for UFH) -

enquire for others

Wet Area Suitability Contact the Forté team for information

0508 35 66 77

TECHNICAL SPECIFICATIONS

Reaction to Fire (Floors) Critical Flux 5.0kw/m²

Reaction to Fire (Walls and Ceilings)

Group 3 / Class Dfl-s1 (Group 1 can be achieved with intumescent coating)

Wear Layer Density

700kg/m³

Formaldehyde Emission

AS/NZS 2098.11 E0 (0.1mg/L)

Low VOC, No added Formaldehyde

Slip Ratings

AS/NZS 4586 Wet Test AS/NZS 4586 Dry Test


Classification F, Mean COF 0.60 Classification X, Pendulum Mean 43

BPN

PACK INFORMATION

Pack Size 2.890m² **Pack Weight** 27.857kg

Pieces per pack 5 full planks + 1 split plank



MODA ALTRO - FEATURE GRADE



A Moda Altro Feature grade plank will typically contain natural colour variation. This grade allows for frequent, larger knots and sapwood should be expected throughout the planks. Cracks and checks will be present and are finished with a dark shade of filler.

Care and Maintenance

RESIDENTIAL AND COMMERCIAL CARE AND MAINTENANCE

Forté's Product Specialists have collated our care and maintenance recommendations to ensure your flooring looks like new for years to come. Residential and Commercial projects require different levels of care and maintenance. Visit www.forte.co.nz/careandmaintenance

Structural Warranty

MODA ALTRO 25 YEAR RESIDENTIAL STRUCTURAL WARRANTY

The Moda Altro Collection comes with a full 25 year Residential Structural Warranty. For full warranty terms and conditions, please visit www.forte.co.nz/warranties

MODA ALTRO 5 YEAR COMMERCIAL STRUCTURAL WARRANTY

The Moda Altro Collection comes with a full 5 year Commercial Structural Warranty. For full warranty terms and conditions, please visit www.forte.co.nz/warranties

Installation

THE MODA ALTRO COLLECTION MUST BE INSTALLED BY A TRAINED PROFESSIONAL

Please ensure that you have read and understood the installation guidelines before proceeding to install Moda Altro timber flooring. If you have any questions or concerns, please call the Forté technical team on 0508 35 66 77. Failure to adhere to the Forté Installation Guidelines may void your warranty.

For full installation guidelines, please visit www.forte.co.nz/installation