SAFETY DATA SHEET

SECTION 1						
Product Name:	GALVO ONE					
Other Names: Recommended Use:	Solventborne alkyd paint					
Company Name:	Resene Paints Limited New Zealand Address: 32-50 Vogel Street, Naenae, Wellington, NEW ZEALAND					
Phone:	(04) 577 0500 Fax: (04) 577 0600 P O Box 38242, Wellington Mail Centre					
	Resene Paints Limited Australia Address 7 Production Avenue, Molendinar, Queensland 4214 P O Box 785, Ashmore City, Queensland 4214 AUSTRALIA					
Phone	1800 738 383 AUSTRALIA					
Emergency Tele	phone:					
New Zealand	0800 737 363 Available Monday - Friday 8.00am - 4.30pm					
	New Zealand Poisons Centre: 0800 764 766					
Australia	1800 738 383					
	Australian Poisons Centre: 131 126					
SECTION 2	. HAZARDS IDENTIFICATION					
Hazard Classifi	caton HAZARDOUS according to NZ HSNO Regulations					
	Regulated under NZS5433 for land transportation					
Risk Phrases						
Safety Phrases						
Hazard Stateme	sification 3.1C 6.3B 6.4A 6.5B 6.7B 6.9B 9.1B nts Flammable liquid and vapour					
Hazaru Stateme	Causes skin irritation					
	Causes eye irritation					
	May cause an allergic skin reaction					
	Suspected of causing cancer through inhalation.					
	May cause damage to organs through prolonged or repeated					
	exposure. Toxic to aquatic life with long lasting effects					
SECTION 3	. COMPOSITION / INFORMATION ON INGREDIENTS					
Ingredients	% CAS No TWA					
Aromatic Hydrod						
Barium metabor	5					
Aromatic Hydrod						
SECTION 4	. FIRST AID MEASURES					
	inse cautiously with water for several minutes. Remove contact lenses if present and easy to do so. Continue rinsing. If eye irritation persists get medical attention/advice.					
Swallowed: C	a POISON CENTRE (NZ 0800 764766) or Australia (131 126) or doctor/physician if you feel /ell.					
	F ON SKIN: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.					
IF	n irritation occurs: Get medical advice/attention.					
innaica	Inhaled Remove to fresh air and keep at rest in a position comfortable for breathing.					
Aggravated medical conditions caused by exposure						
Chronic Health Effects						

GALVO ONE

Advice to Doctor

SECTION 5. FIRE FIGHTING MEASURES

Extinguisher Foam, Carbon Dioxide, Dry Chemical

27

Hazards from

combustion products Special protective precautions and equipment for firefighters

Fire/Explosion Hazard Auto Ingnition Temperature Lower Explosion Limit Upper Explosion Limit

Hazchem Code Flash Point

16

6.0

3[Y]

SECTION 6. ACCIDENTAL RELEASE MEASURES

n/a

Emergency Procedures

Keep spectators away and avoid breathing dust or vapours

Methods and materials for containment and clean up

Minor Spills Clean up spills immediately.

- Wear protective clothing and breathing apparatus.
- Use absorbent clean up materials, such as fire retardant treated sawdust or diatomaceous earth.

Keep spills (and as much as possible cleaning runoffs) out of municipal sewers and waterways. Sweep up.

Place in separate container for disposal or recovery.

Major Spills Restrict access to area. No smoking or naked lights.

Alert Fire Brigade and tell them location and nature of hazard.

Consider evacuation (or protect in place).

Clear area of personnel and move upwind.

Dike and contain spill with inert materials (eg. Sand).

Stop leak if safe to do so.

Keep spills (and as much as possible cleaning runoffs) out of municipal sewers and open bodies of water. Collect recoverable product into labelled containers for recycling.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling Avoid damaging containers. Keep lids on containers when not in use

Conditions for safe storage including any incompatibilities

Storage Temperatures Min 1°C

Max 40°C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

National exposure	No exposure standards has been established for this product				
standards for mixture	Breathing Zone ppm	Breathing Zone mg/m ³			
Component Pigments					

Personal Protection

- **Eye:** Safety eyewear with splash guards or side shields to prevent eye contact is recommended when using any paint.
- Hands/Feet Protective clothing. Gloves of neoprene or nitrile rubber Industrial weight lined gauntlet recommended.
- **Other** Overalls, impervious clothing, barrier cream, eyewash unit, skin cleansing cream.

Practice good caution and personal cleanliness to avoid skin contact. Avoid breathing vapours of heated materials. Wash hands thoroughly before handling food.

Respirator

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Coloured viscous liquid						
Odour Hydrocarb	pH n/a	Vapour Pressure n/a	Vapour Density eavier than a	Boiling Point 145°C	Melt Freeze 0°C	Solubility Insoluble	Volatile by Weigl 40
SECTION	V 10.	STABILITY	AND ACTIV	ITY			

Chemical Stability Product is considered stable under normal storage and handling conditions.

GALVO ONE

Resene Paints Limited

Conditions to Avoid Freezing, excessive heat and changes in temperature **Incompatible Material** Hazardous decomposition product Oxides of carbon and nitrogen

Hazardous reactions Hazardous polymerisation will not occur.

GALVO ONE

SECTION 11. TOXICOLOGICAL INFORMATION

No data available for this product

Refer to individual raw materials

SECTION 12. HAZARDS IDENTIFICATION

No data available for this product

Do not allow the product to enter the environment

SECTION 13. DISPOSAL CONSIDERATIONS

Special precautions for landfill or incineratio

Consult manufacturer for recycling options and recycle where possible

Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed

SECTION 14. TRANSPORT INFORMATION

UN Number 1263

UN Proper Paint related product shipping

Subsidiary risk

Poison Schedule

Packing Group: III

HAZCHEM Code 3[Y]

Special precautions for user

SECTION 15. REGULATORY INFORMATION

Class 3

Group Standard HSR002669 Surface Coatings & Colourants (Flammable, Toxic [6.7])

Approved Handler Not required

SECTION 16. OTHER INFORMATION

Date of Preparation	23/10/2008
Literature references	MSDS's for individual raw material
Abbreviations:	
NOHSC TLV STEL	National Occupational Health and Safety Commissio Time weighted averag Short term exposure limit
CAS Numbe TWA	Chemical Abstract Service registry numbe Threshold limit valu
Marine Pollutant	Marine Pollutant

Safety data sheets are updated frequently. Please ensure that you have a current copy

The information contained herein is based on data considered accurate and reliable to the best of our knowledge and belief as of the date compiled. However no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use hereof. Resene Paints (New Zealand) Limited assumes no responsibility for personal injury or property damage to vendors, users or third parties caused by the material. Such users or vendors assume all risks associated with the use of the material. It is the users responsibility to satisfy themselves as to the suitability and completeness of the information for their own particular use. The users must determine whether the use of the information and data is in accordance with local laws and regulations.