Note: Drain position central unless dimensioned otherwise Level Entry SKU: LQ-TOL-RH-LE Step Entry SKU: LQ-TOL-RH-ST 1,860 o/a 1,810 o/a 65 1,795 1,769 1,769 10 16 ₫ ₫ Countersunk Upstand Upstand 877 To centre line of glazing to 2 sides 434.5 877 To centre line of glazing Screw Holes to 2 sides 910^{0/a} Fall Fall 434.5

ले

10

SL


Sliding Door

1073


2120

872

722



Glazing Channel



HR

Hinged Door


700

557

2120

872

495



Upstand

on side wall

Shower Floor

Glazing Channel

1,777 To centre line of glazing

Drain Section

Floor Level

For more product information go to:

- <u>Wall</u> Framing

1

85

<u>_|10|10|</u>


55

For installation instructions go to: www.atlantis.co.nz/trade/installation/

Screen

Options:







www.atlantis.co.nz/shop/linea-quattro/toledo-1800x900/

AQUAPLANE WASTE FITTING

- EasyClean Waste with in-built trap
- 50L/min ultra flow rate
- Removable fin for easy cleaning
- 40/50mm outlet with swivel fitting
- Components bolt together for guaranteed watertightness






Nut


Ensu 150mm v for the

Floor level







Ensure a minimum recess size of 150mm wide x 600mm long x 150mm deep for the channel drain and waste outlet





atlantis




atlantis







atlantis



-Toughened safety glass

_Factory installed glazing channel

-Satin Finish Trim

-Silicone bead /-Waterproofing Layer

