



Why IBS?

Since 1993, IBS has been working with the top building products producers from around the world to bring New Zealand a panel product range to help Kiwis build better.

We're always looking for what product is new and improved in the world market as well as developing new products right here in New Zealand. Our products go through a rigorous internal testing process as well as being third party verified to ensure that they are certified to comply with New Zealand building code requirements and standards.

We also make sure that our products are supplied from a sustainable renewable resource.

IBS Mission Statement

IBS strives to be New Zealand's leading provider of quality panel products.

With a vast range of sustainably sourced products from around the world, we aim to give our customers the best service, best product and best range.

The IBS (Independent Building Supplies) team is committed to providing quality building products backed up with testing and documentation to make our products reliable, along with knowing that they come from a sustainable renewable resource.

We search the world and NZ to find the best panel products, test them to make sure that they are the best and send them around the country to help Kiwis build better.



Order a sample

If you're interested in any of our products, contact our team to find out more or order a sample.

1/7 Fraser Road, Panmure, Auckland, New Zealand

0800 367 759

sales@ibs.co.nz

www.ibs.co.nz

NZBN 9429000097253

What is PRIMActu?

PRIMActu (ceramic tile underlay) has superior fire performance and dimensionally stable which makes it an ideal substrate for ceramic tile underlay.

It is a cellulose fibre cement floorpanel. Each panel has a smooth, sanded face which is sealed and ready for tiling. PRIMActu can be used as a ceramic tile underlay which has superior fire performance and is dimensionally stable which makes it an ideal substrate for ceramic tile underlay. PRIMActu can be directly fixed to an existing timber, OSB EUROFloor, particle board or plywood floor.

PRIMActu is manufactured to nominal 6.0mm thickness. The product has pre-printed fastener points for ease of installation. With each sheet of PRIMActu, you need to use the correct nails and to make sure that one nail is used on each of the dots.

Certifications and Compliance

- ISO 9001: 2008 Quality System (Ref-AR0430-IQNet Certification)
- ISO 14001: 2004 Environmental System (Ref-ER0642-IQNet Certification)
- BRANZ appraisal N:737 (2011)
- pass™ (Product Assurance Supplier Statement)

Our PRIMActu product range

PRIMActu Product Details			
L x W x Thickness (mm)	Weight (kg)	IBS Product Code	GTIN
1800 x 900 x 6	13.5	PRIMACTU06189	09421028760379
1800 x 1200 x 6	18	PRIMACTU061812	09421028760386

Why PRIMActu?



Versatile and ideal for ceramic tile underlay

- Flat surface for smooth ceramic tile finishing
- Dimensionally stable
- Excellent substrate for floor tiles, both slate and ceramic
- Can be applied to both new and existing timber floorboards, plywood or particleboard OSB EUROFloor



Durable and water proof

- Immune to permanent water damage and will not rot
- 100% free from asbestos



Easy to install

- Simple and quick to install
- Includes a nailing pattern printed on the face of the sheet for easy installation
- Square edges on all 4 sides





Scan the QR code to view all
IBS PRIMActu documents.

