

## Intergrain Reviva

NZDW1275

Part A	552-94814
--------	-----------



Description
Intergrain Reviva is a unique, high strength cleaner that restores grey, rust or tannin stained, mould or mildew affected timber to a clean appearance suitable for coating. Reviva is also used to clean and prepare new timber for coating by removing the dirt, tannins, oils and other contaminants that are present. Reviva is a nonbleaching formula that contains oxalic acid; a naturally occurring, bio-degradable organic acid.

Features
<ul style="list-style-type: none"> <li>Supplied as concentrate</li> <li>Contains cleaning agents</li> <li>Contains oxalic acid</li> </ul>

Benefits
<ul style="list-style-type: none"> <li>Dilute to suit timber condition.</li> <li>Cleans slippery, unsafe walkways.</li> <li>Removes water or metal-stains.</li> </ul>

Uses
Use on all exterior timber including decking, outdoor furniture, weatherboards, pergolas, window frames, trim, fences and marine timbers.

Performance Guide			
<b>Weather</b>	Not applicable.	<b>Salt</b>	Unaffected by splash or spillage.
<b>Heat Resistance</b>	Not applicable.	<b>Water</b>	Not applicable.
<b>Solvent</b>	Not applicable.	<b>Abrasion</b>	Not applicable.
<b>Acid</b>	Not applicable.	<b>Alkali</b>	Not applicable.

Typical Properties																											
<b>Gloss Level</b>	N/A	<b>Thinner</b>	Water																								
<b>Colour</b>	Yellow	<b>Components</b>	1																								
<b>Number Of Coats</b>	1 or 2	<b>Toxicity</b>	Contains Oxalic Acid, S6 Poison																								
<b>Touch Dry</b>	15-20 Minutes																										
<b>Clean Up</b>	 Water																										
<b>Clean Up Description</b>	Thoroughly clean all equipment with clean water.																										
<b>Application Method</b>	 Brush																										
<b>Application Conditions</b>	<table border="0" style="width: 100%;"> <tr> <td style="text-align: center;"><b>Solids By Volume</b></td> <td style="text-align: center;">8</td> <td></td> <td></td> </tr> <tr> <td></td> <td style="text-align: center;"><b>Min</b></td> <td style="text-align: center;"><b>Max</b></td> <td style="text-align: center;"><b>Recommended</b></td> </tr> <tr> <td>Wet Film Per Coat (microns)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Dry Film Per Coat (microns)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Recoat Time (min)</td> <td style="text-align: center;">NA</td> <td style="text-align: center;">NA</td> <td></td> </tr> <tr> <td>Theoretical Spread Rate (m<sup>2</sup>/L)</td> <td></td> <td></td> <td></td> </tr> </table>			<b>Solids By Volume</b>	8				<b>Min</b>	<b>Max</b>	<b>Recommended</b>	Wet Film Per Coat (microns)				Dry Film Per Coat (microns)				Recoat Time (min)	NA	NA		Theoretical Spread Rate (m <sup>2</sup> /L)			
<b>Solids By Volume</b>	8																										
	<b>Min</b>	<b>Max</b>	<b>Recommended</b>																								
Wet Film Per Coat (microns)																											
Dry Film Per Coat (microns)																											
Recoat Time (min)	NA	NA																									
Theoretical Spread Rate (m <sup>2</sup> /L)																											

Application Guide	
<b>Surface Preparation</b>	<ul style="list-style-type: none"> <li>Remove surface dirt by sweeping or washing down with water. Shake Reviva thoroughly. Mix ONE (1) part Reviva to FOUR (4) parts water in a plastic container. For severe staining, a stronger solution or repeat applications may be necessary. Tannin rich timbers may also require repeat applications; wash until the water used to rinse the Reviva off is clear.</li> </ul> <p>PRECAUTION: Avoid contact with painted or metal surfaces and vegetation. Protect garden shrubs and vegetation by hosing and covering with a plastic sheet. Rinse off thoroughly if contact occurs.</p>
<b>Application Procedure And Equipment</b>	<ul style="list-style-type: none"> <li>Brush and scrub broom</li> <li>Wet the timber surfaces to be cleaned with water. Apply Reviva mixture generously to the timber with a stiff bristle brush, broom or scouring pad. Scrub the timber vigorously. Clean complete sections at one time. Spot cleaning should be avoided to prevent patchy results. Leave mixture on the timber for 10-15 minutes. If necessary, apply more mixture to keep timber damp throughout this period. For best results Reviva should be applied to cool surfaces, out of direct sunlight, to avoid the cleaner drying on the timber. Rinse off exterior surfaces thoroughly using maximum pressure from a garden hose or using a high pressure water cleaner. A high pressure water cleaner is recommended for large areas or badly discoloured timber. Interior surfaces must be rinsed clean with sponge and water.</li> </ul> <p>NOTE: Failure to thoroughly remove mixture may result in timber discolouration under clear finishes. Allow timber to dry thoroughly before applying further products.</p> <p>Note: After cleaning, some timber species will appear bleached due to loss of water soluble extractives. Richer colour is generally restored on application of the finish. 1 litre concentrate diluted with 4 litres of water covers 5-10 m2. Reviva can assist in the removal of timber stains, paints and oils but is not designed to remove paint or other timber coatings that are in sound condition. For removal of coatings back to a bare surface, sanding is recommended. Badly weathered timber should be sanded back to a fresh surface before applying Reviva.</p>

Health And Safety			
<b>MSDS Number</b>	3391	<b>Using Safety Precautions</b>	Provide adequate ventilation. If using inside keep windows and doors open during use and while drying.
<b>MSDS Link</b>	<a href="http://msds.duluxgroup.com/pdf/shess-en-cds-020-00000003391.pdf">http://msds.duluxgroup.com/pdf/shess-en-cds-020-00000003391.pdf</a>		
<b>Health Effects</b>	<p>FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre. Phone 0800 764 766.</p> <p>SWALLOWED: If swallowed, DO NOT induce vomiting. Give plenty of water to drink. Seek medical advice.</p> <p>EYE: If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.</p> <p>SKIN: If skin contact occurs, remove contaminated clothing and wash skin thoroughly.</p> <p>INHALED: Remove from contaminated area. Seek medical advice if effects persist.</p>	<b>Flammability</b>	This product is not flammable.
<b>Protective Equipment</b>	Wear eye protection, protective clothing and gloves, and if spraying, wear a respirator with a combined vapour/particulate cartridge.	<b>Storage</b>	Store upright in the closed container in a cool dry and dark well ventilated area. DO NOT store for prolonged periods in direct sunlight. Store out of reach of children.
<b>Disposal</b>	Do not contaminate stormwater with product or product washings. Do not pour product down the drain. Unwanted product should be brushed out on newspaper, allowed to dry and then disposed of via domestic waste collection. Empty containers should be left open in a well ventilated area to dry out. When dry, recycle the container via recycling programmes. Disposal of empty paint containers via recycling programmes may differ between local authorities. Check with your local council first.		
<b>In the case of emergency, please call 0800 734 607</b>			

Precautions And Limitations
Avoid contact with painted or metal surfaces and vegetation. Protect garden shrubs and vegetation by hosing and covering with plastic sheeting. Rinse off thoroughly if contact occurs.

Transport And Storage			
<b>Pack A</b>	552-94814		
<b>Size</b>	4 Litre 1 Litre		<b>Weight</b> 4.2 Kg 1.1 Kg
<b>Flash Point</b>	NA	<b>Dangerous Goods Class</b>	NA

**Disclaimer**

Dulux and Other marks followed by ® are registered trademarks. Marks followed by the symbol of ™ are trademarks.

The data provided within the Duspec system is correct at the time of publication, however it is the responsibility of those using this information to check that it is current prior to specifying or using any of these coating systems.

DISCLAIMER: Any advice, recommendation, information, assistance or service provided by any of the divisions of DuluxGroup (New Zealand) Pty Ltd or its related entities (collectively, DuluxGroup) in relation to goods manufactured by it or their use and application is given in good faith and is believed by DuluxGroup to be appropriate and reliable. However, any advice, recommendation, information, assistance or service provided by DuluxGroup is provided without liability or responsibility PROVIDED THAT the foregoing shall not exclude, limit, restrict or modify the right entitlements and remedies conferred upon any person or the liabilities imposed upon DuluxGroup by any condition or warranty implied by Commonwealth, State or Territory Act or ordinance void or prohibiting such exclusion limitation or modification. Coating systems can be expected to perform as indicated on the Duspec Spec Sheet so long as applications and application procedures of the individual products are followed as recommended on the appropriate Product data Sheet. "Orica" "Dulux" "Berger" "Berger Gold Label" "Hadrian" "Waipamur" "Levene" "Acratex" and Other marks followed by ® are registered trademarks. Marks followed by the symbol ™ are trademarks.

Please note that this document is only valid for 60 days from the date of issue.

DuluxGroup (New Zealand) Pty Ltd 150 Hutt Park Road NZ ACN 133 404 118