Note: Drain position central unless dimensioned otherwise Level Entry SKU: LQ-HON-LH-LE Step Entry SKU: LQ-HON-LH-ST 1,800 o/a 1,800 o/a 1,780 1,780 10 10 10 0 0 0 Upstand Upstand to 3.5 sides to 3.5 sides 1,010 o/a 1,060 o/a _ Fall Fall 1,000 970 990 970 990 Countersunk Screw Holes

70 10

Floor Level


- <u>Wall</u> Framing

1


85

.**_|10|10**|_

55



Threshold Step





Shower Floor

Upstand

on side wall

Moisture Stop

10

1:80 Slope

1,090

1,100

Drain Section

Screen Options: N/A


For more product information go to: www.atlantis.co.nz/shop/linea-quattro/honolulu-1800x1000/

For installation instructions go to: www.atlantis.co.nz/trade/installation/

Ц


Ц


atlantis



AQUAPLANE WASTE FITTING

- EasyClean Waste with in-built trap
- 50L/min ultra flow rate
- Removable fin for easy cleaning
- 40/50mm outlet with swivel fitting
- Components bolt together for guaranteed watertightness






Nut


Ensu 150mm v for the

Floor level







Ensure a minimum recess size of 150mm wide x 600mm long x 150mm deep for the channel drain and waste outlet





atlantis




atlantis







atlantis



-Toughened safety glass

_Factory installed glazing channel

-Satin Finish Trim

-Silicone bead /-Waterproofing Layer

