

The Schlage range of pull handles has been designed for use on residential and commercial applications. This includes interior and exterior doors for use in retail, educational, institutional, governmental, medical, public buildings, as well as residential homes.

The Schlage pull handle range includes both round and square tubular designs. Entrance handles can be fixed to timber, aluminium and glass doors. Designed with high quality 316 Marine Grade Stainless Steel to provide greater durability and minimise maintenance.



Features

- 316 Marine grade satin stainless steel construction
- Suitable for standard back to back or optional single side installation
- Concealed grub screw fixing
- Custom sizes available on request
- 10 Year warranty provides specifiers and users with assured quality and performance
- For finish warranties please refer to www.allegion.co.nz/finishwarranty

Specification guide

| Brand | Stainless Steel grade | Design code | Length | Finish |
|----------|-----------------------|--|--------------------------------|--|
| SchlageS | Grade | Andor. 1 Dego. 2 Turin. 3 Trento 4 Verona 5 Capri. 6 Corfu 7 Silvi 8 | Refer to following pages | Antique bronze ABZ Oil rubbed bronze ORB Polished stainless steel PSS Satin black chrome SBC Satin stainless steel SSS |

Design code

Select the required design code e.g. Corfu S316 -7

2. Pull handle length

3 Finish

Finishes



on special

Technical specifications

| Door thickness | Timber & aluminium: 32mm to 70mm (Verona 32mm to 55mm) Glass: 10mm to 15mm |
|---------------------|---|
| Door type | Timber, aluminium and glass |
| Fixing centres | Refer to individual handle dimensions |
| Fixing | Back to back (standard) Single side |
| Materials | Stainless steel grade 316 |
| Finishes | Antique bronze, oil rubbed bronze, polished stainless steel (on special request), satin black chrome, satin stainless steel Verona only available in Satin Stainless Steel |
| Compliance Ł | Some pull handles compliant to the AS 1428:1-2009 Design for Access and Mobility as indicated by the accessibility icon |
| Warranty | 10 year mechanical For finish warranties please refer to www.allegion.co.nz/finisheswarranty for New Zealand, or www.allegion.com.au product pages for Australia |
| Accessories | Single side fixing bolt (S316SFK) |


Drilling Details

| Door type | Tube size ø | Hole size |
|-----------|-------------|-----------|
| Timber | 32mm | 10mm |
| Aluminium | 32mm | 10mm |
| Glass | 32mm | 14mm |



Fixing detail


Back to back standard fixing



Standard fixing supplied with: 2 x 45mm M8 screw


2 x 100mm M8 screw

Single side fixing




For single side fixing, please order accessory kit S316SFK






















| Design code | | | | | |
|-------------|------|-------|----|------|----|
| | 300 | | | 325 | |
| | 450 | | | 475 | |
| 2 | 600 | 25x25 | 45 | 625 | 25 |
| | 800 | | | 825 | |
| | 1000 | | | 1025 | |

| | | Handle Dimen | sions | |
|----------------|--------------------|---------------------|----------------|---------------|
| А | В | С | D | Е |
| Fixing centres | Grip width x depth | Clearance from door | Overall height | Overall width |









| Handle Dimensions | | | | | |
|-------------------|--------------------|---------------------|----------------|---------------|--|
| АВ | | С | D | E | |
| Fixing centres | Grip width x depth | Clearance from door | Overall height | Overall width | |

*Handle projection = B + C

