

atlantis


Level Entry SKU: LQ-GEN-RH-LE Step Entry SKU: LQ-GEN-RH-ST 1,360 o/a 1,310 o/a 1,295 1,269 1,269 See Waste Channel Recess Specifications Upstand Countersunk Upstand for size 434.5 to 2 sides 434.5 to 2 sides 877 To centre line of glazing 877 To centre line of glazing Screw Holes 910 o/a _Fall__ _Fall__ Floor Recess 1330x930x33 434.5 434.5 Glazing Channel Glazing Channel 1,277 _10 1,277 To centre line of glazing To centre line of glazing **Drain Section Drain Section** Edge Section Edge Section 1:80 Slope 1:80 Slope Floor Level Floor Level 8mm Toughened Safety Glass Screen 8₁8±2 Factory Fitted 8mm Toughened Safety Glazing Channel 110|10 Glass Screens 10|10 Upstand Upstand Waterproofing Flange on side wall on side wall Factory fitted Countersunk Glazing Channel Screw Holes 85 _F<u>loor</u> Level Shower Floor Shower Floor Recess Floor Level Recess Depth 20 16 40 □ 31 See Waste Channel Recess See Waste Channel Recess Specifications for depth Specifications for depth information under floor information under floor Note: Verify exact shower base dimensions on site

Note: Drain position central unless dimensioned otherwise

Screen Options:







For more product information go to:

www.atlantis.co.nz/shop/linea-quattro/geneva-1300x900/

For installation instructions go to:


www.atlantis.co.nz/trade/installation/

AQUAPLANE WASTE FITTING

- EasyClean Waste with in-built trap
- 50L/min ultra flow rate
- Removable fin for easy cleaning
- 40/50mm outlet with swivel fitting
- Components bolt together for guaranteed watertightness







Ensure a minimum recess size of 150mm wide x 600mm long x 150mm deep for the channel drain and waste outlet



